



AIT Manufacturing, LLC



Saving You Energy Time & Money

678 Andover Street, Unit 5, Lawrence, MA 01843

Tel: 978-989-2144

Email: [april@aitmanufacturing.com](mailto:april@aitmanufacturing.com)

Web: [www.aitmanufacturing.com](http://www.aitmanufacturing.com)

AIT Manufacturing, LLC has recently acquired PAG Industries. For over thirty years PAG Industries has been the premier manufacturer of PVC Jacketing. AIT's primary goal is to be the number one supplier of PVC Jacketing in the North East. Our mission is to have the highest standards in Quality, Service and Value. These core beliefs coupled with our quality products will save you energy, time and money.

AIT manufactures 25/50 Smoke Safe PVC jacketing in .020 and .030 Mil thicknesses. Our standard length is 4' and we will make 3' lengths to order. We can supply jacketing for any pipe diameter both with and without double-sided tape (similar to 3M's 1163). No gluing necessary unless it is installed outdoors or in a wash down environment.

Our product is packaged in a plastic sleeve before it is packed in a cardboard case. This allows for quick inventory counts and order fulfillment. The sleeve also protects the PVC from damage and contaminants.

PVC Jacketing is used for covering all flat and round surfaces such as pipes, ductwork, tanks, and other mechanical equipment both indoors and out. Jacketing is rugged, high-impact, UV resistant (white only), and vapor resistant. PVC Cut and Curled Jacketing is used for commercial, institutional and industrial applications. It is ideal for use in the food, pharmaceutical; beverage; chemical processing and similar plants where cleanliness and appearance of insulated pipes are a maintenance concern.




## AIT Manufacturing, LLC "K"- Saver® pipe jacketing:

- Available in 0.020 and 0.030 Mil thicknesses
- Cut to 4' lengths standard (3' lengths available)
- Curled to fit any pipe diameter
- Available both with and without double-sided tape (similar to 3M 1163)
- Sleeved in 5 or 10 piece packs
- Rugged, high impact & Vapor Resistant
- White jacketing is UV Resistant
- Provides a barrier to prevent bacteria, moisture and mold
- Easy to install
- Corrosion resistant
- Low maintenance
- Outdoor usability (white is recommended)
- Available in 14 different colors
- Easy to clean/wash down
- Temperature ranges from -35 degrees F to 500 degrees F
- 25/50 Smoke Safe PVC Provides greater universal building code acceptance
- Attractive high gloss appearance



**.020 "K" Saver® PVC Jacketing Packing Schedule (4' Length)**

Size	Pieces / Case	Footage / Case	Pieces / Sleeve	Sleeves / Case
2.0	100	400	5	20
2.5	100	400	5	20
3.0	75	300	5	15
3.5	50	200	5	10
4.0	50	200	5	10
4.5	50	200	5	10
5.0	50	200	10	5
5.5	50	200	10	5
6.0	50	200	10	5
6.5	50	200	10	5
7.0	25	100	5	5
7.5	25	100	5	5
8.0	25	100	5	5
8.5	25	100	5	5
9.0	25	100	5	5
9.5	25	100	5	5
10.0	25	100	5	5
10.5	25	100	5	5
11.0 - 15.0	25	100	No Sleeves	N/A
16.0 - 19.0	20	80	No Sleeves	N/A
20.0 - 24.0	15	60	No Sleeves	N/A
25.0 and up	10	40	No Sleeves	N/A


**.030 "K" Saver® PVC Jacketing Packing Schedule (4' Length)**

Size	Pieces / Case	Footage / Case	Pieces / Sleeve	Sleeves / Case
2.0	50	200	5	10
2.5	50	200	5	10
3.0	50	200	5	10
3.5	50	200	5	10
4.0	50	200	5	10
4.5	50	200	5	10
5.0	25	100	5	5
5.5	25	100	5	5
6.0	25	100	5	5
6.5	25	100	5	5
7.0	25	100	5	5
7.5	25	100	5	5
8.0	25	100	5	5
8.5	25	100	5	5
9.0	25	100	5	5
9.5	25	100	5	5
10.0	25	100	5	5
10.5	25	100	5	5
11.0 - 15.0	20	80	No Sleeves	N/A
16.0 - 19.0	15	60	No Sleeves	N/A
20.0 - and up	10	40	No Sleeves	N/A




# "K"-Saver® PVC Pipe Jacketing:



## "K" Saver® Jacketing – Iron Pipe Sizing Chart

Pipe Size	Insulation Thickness (in.)							
	½	1	1½	2	2½	3	3½	4
3/8	1.5	3.0	3.5					
½	2.0	3.0	4.0	5.0	6.5	7.5	8.5	9.5
1	2.5	3.5	4.5	5.5	6.5	7.5	8.5	9.5
1½	3.0	4.0	5.0	6.5	7.5	8.5	9.5	10.5
2½	4.0	5.0	6.5	7.5	8.5	9.5	10.5	11.5
3½	5.0	6.5	7.5	8.5	9.5	10.5	11.5	12.5
5	6.5	7.5	8.5	9.5	10.5	11.5	12.5	14.0
8	9.5	10.5	11.5	12.5	14.0	15.0	16.0	17.0
12	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0
16	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0
20	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0



## "K" Saver® Jacketing – Copper Tubing Sizing Chart

Tube Size	OD	Insulation Thickness (in.)							
		½	1	1½	2	2½	3	3½	4
3/8	½	1.5	2.5	3.5	4.5	5.5	6.5		
½	5/8	2.0	3.0	3.5	4.5	5.5	6.5		
¾	7/8	2.0	3.0	4.0	5.0	6.5	7.5	8.5	9.5
1	1 1/8	2.5	3.0	4.0	5.0	6.5	7.5	8.5	9.5
1¼	1 3/8	2.5	3.5	4.5	5.5	6.5	7.5	8.5	9.5
1½	1 5/8	3.0	3.5	5.0	5.5	6.5	7.5	8.5	9.5
2	2 1/8	3.5	4.0	5.0	6.5	7.5	8.5	9.5	10.5
2½	2 5/8	4.0	4.5	5.5	6.5	7.5	8.5	9.5	10.5
3	3 1/8	4.5	5.0	6.5	7.5	8.5	9.5	10.5	11.5
3½	3 5/8	4.5	5.5	6.5	7.5	8.5	9.5	10.5	11.5
4	4 1/8	5.5	6.5	7.5	8.5	9.5	10.5	11.5	12.5
5	5 1/8	6.5	7.5	8.5	9.5	10.5	11.5	12.5	14.0
6	6 1/8	7.5	8.5	9.5	10.5	11.5	12.5	14.0	15.0



**“K” Saver® Jacketing – Available Colors**





678 Andover Street, Unit 5, Lawrence, MA 01843

Tel: 978-989-2144

Email: [april@aitmanufacturing.com](mailto:april@aitmanufacturing.com)

## Order Form

*If Bill to and Ship to are the same, leave Ship to side blank*

Bill to Company Name:		
Bill to street address:		
Bill to City, State, Zip Code:		
Bill to Contact Name:		
Bill to phone #:		
Bill to email:		

Purchase Order Number:		
Ship to Company Name:		
Ship to street address:		
Ship to City, State, Zip Code:		
Ship to Contact Name:		
Ship to phone #:		
Ship to email:		

Ship Via Carrier:	Ship Via Method:	Freight Billing:
		Pre-Pay & Add Freight
FOB/Shipping point: Lawrence, Massachusetts (01843)		Bill freight to account > <input type="checkbox"/>

Line	Linear Feet	Size	Color	Description	Unit Price	Extended Price
1					\$	\$
2					\$	\$
3					\$	\$
4					\$	\$
5					\$	\$

Delivery needed:	<input type="checkbox"/>	ASAP	Specify date:	<input type="text"/>
<i>All orders will ship ASAP if desired date is not specified.</i>				

Sub-Total:	\$
Freight:	\$
Tax:	\$
Total:	\$



AIT Manufacturing, LLC

Saving You Energy Time & Money

V.020817

678 Andover Street, Unit 5, Lawrence, MA 01843  
Tel: 978-989-2144  
Email: [april@aitmanufacturing.com](mailto:april@aitmanufacturing.com)  
Web: [www.aitmanufacturing.com](http://www.aitmanufacturing.com)